


June 2020

## ( multisafe ( autosafe ( autotronic ( multitronic

### System solution for doors made of PVCu – Type 4/10/11



#### Description

Our series of material-related system solutions has now been extended for the material PVCu. This provides a wide range of multipoint locks in standard, automatic, panic and motor versions with the same milling and screw-on dimensions.

The special highlight is the use of the universal frame parts. This is because they are suitable for the three locking types 4, 10 and 11, and corresponding magnetic releases are available for use with types 4 and 10.

#### Technical details

- Designs adapted to all common profile systems
- Finish: FUHR-Silver
- Also available with restrictor

#### Benefits

- A universal frame part for all lock types
- Efficiency in door production
- Economic storage
- Safety in processing through systematized components
- Flexible reaction to customer requirements
- Optimum tightness due to adjustable metal locking boxes
- Reliable longevity through high-quality materials
- Attractive appearance in the door rebate

#### Date/Market launch

- Available from now on.

June 2020

## Article report – One-piece strike plates for PVCu systems – 13mm axis – FUHR-Silver

### One-piece strike plates – Type 4/10/11 – Aluplast 4000, 5000, 7000, 8000

Reference	Article no.	Description	PU/ Piece	Material group
VRL59120ZLX	9375855	DIN LS, U29x6,5x11,8-1737mm – <b>Standard</b>	5	1812
VRL59120ZRX	9375862	DIN RS, U29x6,5x11,8-1737mm – <b>Standard</b>	5	1812

### One-piece strike plates – Type 4/10/11 – Aluplast 2000,3000

Reference	Article no.	Description	PU/ Piece	Material group
VRL59747ZLX	9384468	DIN LS, U29x6,5x9,5-1737mm – <b>Standard</b>	5	1812
VRL59747ZRX	9384475	DIN RS, U29x6,5x9,5-1737mm – <b>Standard</b>	5	1812

### One-piece strike plates – Type 4/10/11 – Deceunick 3000 Zendow / Zendow Neo

Reference	Article no.	Description	PU/ Piece	Material group
VRL59992ZLX	9373387	DIN LS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812
VRL59992ZRX	9373394	DIN RS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812
VRL59967ZLX	9375084	DIN LS, U29x6,5x10,7-1937mm – <b>high</b>	5	1812
VRL59967ZRX	9375091	DIN RS, U29x6,5x10,7-1937mm – <b>high</b>	5	1812

### One-piece strike plates – Type 4/10/11 – Foris Plusplan (Plustec)

Reference	Article no.	Description	PU/ Piece	Material group
VRL59749ZLX	9384444	DIN LS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812
VRL59749ZRX	9384451	DIN RS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812

### One-piece strike plates – Type 4/10/11 – Gealan 3000,7000,8000,9000

Reference	Article no.	Description	PU/ Piece	Material group
VRL59115ZLX	9375077	DIN LS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812
VRL59115ZRX	9371413	DIN RS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812
VRL59117ZLX	9373370	DIN LS, U29x6,5x10,7-1937mm – <b>high</b>	5	1812
VRL59117ZRX	9373363	DIN RS, U29x6,5x10,7-1937mm – <b>high</b>	5	1812

### One-piece strike plates – Type 4/10/11 – Inoutic Prestige, Delux, Elite, Eforte, Arcade

Reference	Article no.	Description	PU/ Piece	Material group
VRL59130ZLX	9385588	DIN LS, U29x6,5x6,5-1737mm – <b>Standard</b>	5	1812
VRL59130ZRX	9385595	DIN RS, U29x6,5x6,5-1737mm – <b>Standard</b>	5	1812

### One-piece strike plates – Type 4/10/11 – Inoutic Prestige, Delux, Elite, Eforte, Arcade – with restrictor

Reference	Article no.	Description	PU/ Piece	Material group
VRL59131ZLX	9385632	DIN LS, U29x6,5x6,5-1737mm – <b>Standard</b>	5	1812
VRL59131ZRX	9385649	DIN RS, U29x6,5x6,5-1737mm – <b>Standard</b>	5	1812

### One-piece strike plates – Type 4/10/11 – Kömmerling 70,Gold UK /Trocal 76/ KBE 70+76/ Deceunick 70 UK, Profine76

Reference	Article no.	Description	PU/ Piece	Material group
VRL59440ZLX	9372076	DIN LS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812
VRL59440ZRX	9372083	DIN RS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812
VRL59442ZLX	9374995	DIN LS, U29x6,5x10,7-1937mm – <b>high</b>	5	1812
VRL59442ZRX	9375008	DIN RS, U29x6,5x10,7-1937mm – <b>high</b>	5	1812

June 2020

## Article report – One-piece strike plates for PVCu systems – 13mm axis – FUHR-Silver

### One-piece strike plates – Type 4/10/11 – Kömmerling/Eurodur VS/Eurofuture

Reference	Article no.	Description	PU/ Piece	Material group
VRL59125ZLX	9377262	DIN LS, U29x6,5x12-1737mm – <b>Standard</b>	5	1812
VRL59125ZRX	9377279	DIN RS, U29x6,5x12-1737mm – <b>Standard</b>	5	1812
VRL59127ZLX	9377200	DIN LS, U29x6,5x12-1937mm – <b>high</b>	5	1812
VRL59127ZRX	9377217	DIN RS, U29x6,5x12-1937mm – <b>high</b>	5	1812

### One-piece strike plates – Type 4/10/11 – Profialis

Reference	Article no.	Description	PU/ Piece	Material group
VRL64026ZLX	9375879	DIN LS, U29x6,5x11,5-1737mm – <b>Standard</b>	5	1812
VRL64026ZRX	9375886	DIN RS, U29x6,5x11,5-1737mm – <b>Standard</b>	5	1812

### One-piece strike plates – Type 4/10/11 – Rehau Basic/Brilliant/ Character/Thermo S730

Reference	Article no.	Description	PU/ Piece	Material group
VRL59366ZLX	9375893	DIN LS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812
VRL59366ZRX	9375909	DIN RS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812
VRL59606ZLX	9377187	DIN LS, U29x6,5x10,7-1937mm – <b>high</b>	5	1812
VRL59606ZRX	9377194	DIN RS, U29x6,5x10,7-1937mm – <b>high</b>	5	1812

### One-piece strike plates – Type 4/10/11 – Rehau Neferia

Reference	Article no.	Description	PU/ Piece	Material group
VRL64056ZLX	9378351	DIN LS, U29x6,5x12-1737mm – <b>Standard</b>	5	1812
VRL64056ZRX	9378368	DIN RS, U29x6,5x12-1737mm – <b>Standard</b>	5	1812

### One-piece strike plates – Type 4/10/11 – Rehau S706/Geneo/Tritec/Synego

Reference	Article no.	Description	PU/ Piece	Material group
VRL59016ZLX	9373349	DIN LS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812
VRL59016ZRX	9373356	DIN RS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812
VRL59018ZLX	9375015	DIN LS, U29x6,5x10,7-1937mm – <b>high</b>	5	1812
VRL59018ZRX	9375022	DIN RS, U29x6,5x10,7-1937mm – <b>high</b>	5	1812

### One-piece strike plates – Type 4/10/11 – Rehau S706/Geneo/Tritec/Synego – with restrictor

Reference	Article no.	Description	PU/ Piece	Material group
VRL59017ZLX	9380101	DIN LS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812
VRL59017ZRX	9380118	DIN RS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812
VRL59019ZLX	9380132	DIN LS, U29x6,5x10,7-1937mm – <b>high</b>	5	1812
VRL59019ZRX	9380125	DIN RS, U29x6,5x10,7-1937mm – <b>high</b>	5	1812

### One-piece strike plates – Type 4/10/11 – Rehau S790

Reference	Article no.	Description	PU/ Piece	Material group
VRL64039ZLX	9377248	DIN LS, U29x6,5x6,5-1737mm – <b>Standard</b>	5	1812
VRL64039ZRX	9377255	DIN RS, U29x6,5x6,5-1737mm – <b>Standard</b>	5	1812
VRL64040ZLX	9377224	DIN LS, U29x6,5x6,5-1937mm – <b>high</b>	5	1812
VRL64040ZRX	9377231	DIN RS, U29x6,5x6,5-1937mm – <b>high</b>	5	1812

## Article report – One-piece strike plates for PVCu systems – 13mm axis – FUHR-Silver

### One-piece strike plates – Type 4/10/11 – Roplasto 7001

Reference	Article no.	Description	PU/ Piece	Material group
VRL59751ZLX	9384406	DIN LS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812
VRL59751ZRX	9384413	DIN RS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812

### One-piece strike plates – Type 4/10/11 – Salamander 2D / 3D / 76 Streamline

Reference	Article no.	Description	PU/ Piece	Material group
VRL59590ZLX	9384383	DIN LS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812
VRL59590ZRX	9384390	DIN RS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812

### One-piece strike plates – Type 4/10/11 – Schüco CT70-AS

Reference	Article no.	Description	PU/ Piece	Material group
VRL59311ZLX	9384505	DIN LS, U29x4,5x7,5-1794mm – <b>Standard</b>	5	1812
VRL59311ZRX	9384512	DIN RS, U29x4,5x7,5-1794mm – <b>Standard</b>	5	1812

### One-piece strike plates – Type 4/10/11 – Smart UK

Reference	Article no.	Description	PU/ Piece	Material group
VRL59968ZLX	9373097	DIN LS, U29x6,5x6,5-1737mm – <b>Standard</b>	5	1812
VRL59968ZRX	9373103	DIN RS, U29x6,5x6,5-1737mm – <b>Standard</b>	5	1812

### One-piece strike plates – Type 4/10/11 – Trocal Confort / Trocal Innonova 70

Reference	Article no.	Description	PU/ Piece	Material group
VRL59746ZLX	9384482	DIN LS, U29x6,5x9,5-1737mm – <b>Standard</b>	5	1812
VRL59746ZRX	9384499	DIN RS, U29x6,5x9,5-1737mm – <b>Standard</b>	5	1812

### One-piece strike plates – Type 4/10/11 – Veka Softline 70 NT / 82 NT

Reference	Article no.	Description	PU/ Piece	Material group
VRL59106ZLX	9372724	DIN LS, U29x6,5x9,5-1737mm – <b>Standard</b>	5	1812
VRL59106ZRX	9372731	DIN RS, U29x6,5x9,5-1737mm – <b>Standard</b>	5	1812
VRL59108ZLX	9375046	DIN LS, U29x6,5x9,5-1937mm – <b>high</b>	5	1812
VRL59108ZRX	9375039	DIN RS, U29x6,5x9,5-1937mm – <b>high</b>	5	1812

### One-piece strike plates – Type 4/10/11 – Wymar 2500

Reference	Article no.	Description	PU/ Piece	Material group
VRL59750ZLX	9384420	DIN LS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812
VRL59750ZRX	9384437	DIN RS, U29x6,5x10,7-1737mm – <b>Standard</b>	5	1812

June 2020

## Article report – Standard strike plates for PVCu systems – 13mm axis – FUHR–Silver

### Standard strike plates – Type 4/10/11 – Deceunick 3000

Reference	Article no.	Description	PU/ Piece	Material group
VRJV59989ZLX	9373462	DIN LS, U29x6,5x10,7-224mm, adjustable	25	1810
VRJV59989ZRX	9373479	DIN RS, U29x6,5x10,7-224mm, adjustable	25	1810

### Standard strike plates – Type 4/10/11 – Gealan 3000,7000,8000,9000

Reference	Article no.	Description	PU/ Piece	Material group
VRJV59988ZLX	9373448	DIN LS, U29x6,5x10,7-224mm, adjustable	25	1810
VRJV59988ZRX	9373455	DIN RS, U29x6,5x10,7-224mm, adjustable	25	1810

### Standard strike plates – Type 4/10/11 – gegenüberliegende Beschlagsnut

Reference	Article no.	Description	PU/ Piece	Material group
VRJV59973ZLX	9379075	DIN LS, U25x6,5x6,5-224mm, adjustable	25	1810
VRJV59973ZRX	9379068	DIN RS, U25x6,5x6,5-224mm, adjustable	25	1810
VRJV64061ZLX	9386189	DIN LS, U29x6,5x6,5-224mm, adjustable	25	1810
VRJV64061ZRX	9386196	DIN RS, U29x6,5x6,5-224mm, adjustable	25	1810

### Standard strike plates – Type 4/10/11 – Kömmerling 70,Gold UK /Trocral 76/ KBE 70+76/ Deceunick 70 UK, Profine76

Reference	Article no.	Description	PU/ Piece	Material group
VRJV59987ZLX	9373424	DIN LS, U29x6,5x10,7-224mm, adjustable	25	1810
VRJV59987ZRX	9373431	DIN RS, U29x6,5x10,7-224mm, adjustable	25	1810

### Standard strike plates – Type 4/10/11 – Kömmerling/Eurodur VS/Eurofuture

Reference	Article no.	Description	PU/ Piece	Material group
VRJV64046ZLX	9377484	DIN LS, U29x6,5x11,8-224mm, adjustable	25	1810
VRJV64046ZRX	9377491	DIN RS, U29x6,5x11,8-224mm, adjustable	25	1810

### Standard strike plates – Type 4/10/11 – Rehau Basic/Brilliant/ Character/Thermo S730

Reference	Article no.	Description	PU/ Piece	Material group
VRJV64044ZLX	9377286	DIN LS, U29x6,5x10,7-224mm, adjustable	25	1810
VRJV64044ZRX	9377293	DIN RS, U29x6,5x10,7-224mm, adjustable	25	1810

### Standard strike plates – Type 4/10/11 – Rehau S706/Geneo/Tritec/Synego

Reference	Article no.	Description	PU/ Piece	Material group
VRJV59990ZLX	9373486	DIN LS, U29x6,5x10,7-224mm, adjustable	25	1810
VRJV59990ZRX	9373493	DIN RS, U29x6,5x10,7-224mm, adjustable	25	1810

### Standard strike plates – Type 4/10/11 – Rehau S790

Reference	Article no.	Description	PU/ Piece	Material group
VRJV64045ZLX	9377460	DIN LS, U29x6,5x6,5-224mm, adjustable	25	1810
VRJV64045ZRX	9377477	DIN RS, U29x6,5x6,5-224mm, adjustable	25	1810

June 2020

## Article report – Standard strike plates for PVCu systems – 13mm axis – FUHR–Silver

Standard strike plates – Type 4/10/11 – Veka Softline 70 NT / 82 NT

Reference	Article no.	Description	PU/ Piece	Material group
VRJV59951ZLX	9372748	DIN LS, U29x6,5x9,5-224mm, adjustable	25	1810
VRJV59951ZRX	9372755	DIN RS, U29x6,5x9,5-224mm, adjustable	25	1810

## Article report – One-piece strike plates for PVCu systems – 15,5mm axis – FUHR–Silver

One-piece strike plates – Type 4/10/11 – Veka Softline 70 HT / 82 HT

Reference	Article no.	Description	PU/ Piece	Material group
VRL58944ZLX	9372700	DIN LS, U29x4,5x7,5-1794mm – <b>Standard</b>	5	1812
VRL58944ZRX	9372717	DIN RS, U29x4,5x7,5-1794mm – <b>Standard</b>	5	1812
VRL58945ZLX	9375053	DIN LS, U29x4,5x7,5-1994mm – <b>high</b>	5	1812
VRL58945ZRX	9375060	DIN RS, U29x4,5x7,5-1994mm – <b>high</b>	5	1812

One-piece strike plates – Type 4/10/11 – Veka Softline 70 HT / 82 HT – with restrictor

Reference	Article no.	Description	PU/ Piece	Material group
VRL58940ZLX	9384543	DIN LS, U29x4,5x7,5-1794mm – <b>Standard</b>	5	1812
VRL58940ZRX	9384550	DIN RS, U29x4,5x7,5-1794mm – <b>Standard</b>	5	1812

## Article report – Standard strike plates for PVCu systems – 15,5mm axis – FUHR–Silver

Standard strike plates – Type 4/10/11 – Veka Softline 70 HT / 82 HT

Reference	Article no.	Description	PU/ Piece	Material group
VRJV59991ZLX	9373417	DIN LS, U29x4,5x7,5-224mm, adjustable	25	1810
VRJV59991ZRX	9373400	DIN RS, U29x4,5x7,5-224mm, adjustable	25	1810

## Article report magnetic release type 4 and type 10

The article no. corresponds to 1 piece - 2 pieces of magnetic release are required per one-piece strike plate.

Magnetic release – for one-piece and standard strike plates

Reference	Article no.	Description	PU/ Piece	Material group
VRFZ833234	9371994	<b>Type 4</b> magnetic release for steel U-rail, PVCu concept	50	1806
VRFZ835014	9372021	<b>Type 10</b> magnetic release for steel U-rail, PVCu concept	50	1806